

Main function

The PassionIOT Smart Vertical Carousel is designed to optimize space utilization by storing goods in a vertical loop system, bringing items to an ergonomic height for easy retrieval. This system is ideal for small parts storage and inventory management. With a built-in inventory control system, it enhances productivity by minimizing walking and searching time. The carousel is fully enclosed, ensuring safety and security, and can be customized to fit various space requirements, making it a versatile solution for different industries.



GETA R180:

PRODUCT PARAMETERS	
Equipment Specification	GETA R180
Max. Load Capacity per Bin	180 kg
Max. Off-Center Load for Equipment	600 kg
Max. Total Load Capacity	6000 kg

Bin Width <u>LB</u> (mm)	Bin Height <u>LH</u> (mm)	Bin Depth <u>LT</u> (mm)	Device Width <u>GB</u> (mm)	Device Height <u>GH</u> (mm)	Device Depth <u>GT</u> (mm)		
1200-3200 (+200)	210	420	2020-4020 (+200)	2280-7580	1240		
	235						
	261	520				1430	
	286						
	312	620					1620
	337						
	362						

GETA R350:

PRODUCT PARAMETERS	
Equipment Specification	GETA R350
Max. Load Capacity per Bin	350 kg
Max. Off-Center Load for Equipment	1200 kg
Max. Total Load Capacity	12500 kg

Bin Width <u>LB</u> (mm)	Bin Height <u>LH</u> (mm)	Bin Depth <u>LT</u> (mm)	Device Width <u>GB</u> (mm)	Device Height <u>GH</u> (mm)	Device Depth <u>GT</u> (mm)	
1200-3600 (+200)	215	420	2020-4420 (+200)	2430-10080	1260	
	253					
	291					
	329	520				1460
	367					
	405	620				1660
	443					
	481					

GETA R650:

PRODUCT PARAMETERS	
Equipment Specification	GETA R650
Max. Load Capacity per Bin	650 kg
Max. Off-Center Load for Equipment	2100 kg
Max. Total Load Capacity	19000 kg

Bin Width <u>LB</u> (mm)	Bin Height <u>LH</u> (mm)	Bin Depth <u>LT</u> (mm)	Device Width <u>GB</u> (mm)	Device Height <u>GH</u> (mm)	Device Depth <u>GT</u> (mm)	
1200-3500 (+200)	245	420	2020-4420 (+200)	2430-10080	1300	
	296	520			1500	
	346				620	1700
	397					
	458					